


LUMO[®]
feel the difference

LED ALUMINUM PROFILE

Every exterior, interior and installation is a bit different and requires different lighting solutions. So for the most unusual projects, standard indoor and outdoor lights and accessories might not be the best answer. That is why, instead of adjusting, combining different indoor and outdoor lights and accessories to build your own system you can order LUMO customized LED lights for your space.

Lumo will check your lighting project and will try to adjust the technical aspect according to your specification as well.

So please feel free to specify your indoor and outdoor lighting expectations towards customized LED lights. Then provide the technical details of your project and LUMO will come up as soon as possible with a solution.




LUMO provides good solutions for your stairs as LED stair lights not only to reduce the chances of accidents but can even add value to the home.

Since LED Strip lights do not use very much energy and so do not cause a dramatic increase in the electricity bill, even if they are left on all night. LED Strip lights come in various colors, enabling a homeowner to pick the color and style that best suits his or her home.

CONTENTS

A BRIEF INTRODUCTION	3
PART NUMBER EXPLANATION	5
ICONS DESCRIPTION	7
FLEX PROFILE	9
NEW PROFILE	13
LINEAR PROFILE	23
ECO PROFILE	37
WATERPROOF PROFILE	51



Decorating and enhancing the look and feel doesn't have to be a huge financial or time consuming endeavor. Just by changing a few colors, experimenting with new patterns, can provide a great new look.

About the LUMO Aluminum Profiles:

LUMO offers a comprehensive choice of LED Strip Light Aluminum Profiles (also called LED tape profiles, tape channels, LED Strip Light extrusions and tape tracks).


Aluminum profiles are premium Extrusions – all designed to accommodate and enclose LUMO LED strip lights, creating a striking LED light-bar.

Here in LUMO we offer a variety of different LED Strip Light Profiles surface mounted, recessed, and corner fitted. They are also available with frosted (diffused), Milky or optic covers. To find out more about our Aluminum Profiles please check out our website: www.lumo.ae.

Why should we use Aluminum Profiles?

Generally aluminum profiles can enable you to fit LED Strip Lights in locations where installation would not be possible without using them. The other reason of using Aluminum Profiles is that, they can be butted together smoothly; giving a continuous effect.

Furthermore they will provide additional protection from touch and moisture for your LED strip lights and offer a professional finish, ideal if the LED Strip Light is on view.



There are many advantages of LED lighting. These energy efficient lights produce less heat than many other devices. By embedding LED lights and wiring into LED extrusions, the lighting can be used in unique ways to improve safety, visual appeal and improve marketing approaches.

PART NUMBER EXPLANATION

LU-X-XXXX-X-X

Company Name
LUMO

Mounting Type
P: Pendant
S: Surface Mounted
R: Recessed
C: Clips Mounted
O: Other Type Mounting

Product Size
example:
1506 width 15mm, height 6mm


Diferent Form of Cover
A / B / C / D / F / G

Profile Type
F: Flex Profile
N: NEW Profile
L: Linear Profile
E: Eco Profile
W: Water Proof Profile

FOR EXAMPLE:

LU P 6070 B L

LUMO
Pendant Mounted profile
60mm Width and 70mm Height
B type Cover
Linear



ICON DESCRIPTION


Pendant



Surface mounted




Recessed



Clip mounted





Others





Many people have found that using suspended lamps can offer a great light source while also adding a unique and fresh design to a work area. These Aluminum Profiles offer all the advantages of any LED fixture; however, their unique design and customizable options ensure that you have the illumination you need while also creating an appealing addition to the room's décor.

FLEX PROFILE




LUC1806AF



■ Silver ■ Black □ White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser /Transparent/Opal
Lighting source width: 13mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
Artistic design/ Creative design



COVER



Trans. 18062

Opal. 18063

Diffuser. 18064

END CAP




Hole. 18068

W/O hole: 18069

CLIP



18060



LUC3916AF




RoHS



 Silver  Black  White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser
Lighting source width: 30 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
Artistic design/ Creative design



COVER



Diffuser: 39164

END CAP



Hole: 39168

W/O hole: 39169

CLIP



39160


CONNECTOR



LR3916017



LR3916018




FLEX PROFILE

NEW PROFILE

LINEAR PROFILE















ECO PROFILE

WATERPROOF PROFILE



LED extrusions offer consumers a better option than traditional methods of lighting homes and businesses. While with these lights there may be more initial expense, the customer often saves more than the initial cost during the first year of energy savings.


NEW PROFILE



LUC7024AN


CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC/ PMMA cover: Diffuser /Transparent /Opal
 Lighting source width: 12 mm x2pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting



COVER



Trans: 17072
 Opal: 17073
 Diffuser: 17074

END CAP



Hole: 17078
 W/O hole: 17079

CLIP



23230

LUC4025AN


CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC/ PMMA cover: Diffuser /Transparent /Opal
 Lighting source width: 12 mm x2pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting



COVER



Trans: 17072
 Opal: 17073
 Diffuser: 17074

END CAP



Hole: 40258
 W/O hole: 40259


CLIP



1919K0

LUC0810AN

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC/ PMMA cover: Diffuser /Transparent /Opal
Lighting source width: 6 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER



Trans: 08102
 Opal: 08103
 Diffuser: 08104

END CAP



Hole: 08108
 WO hole: 08109

CLIP



08100


LUC1912AN

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC/ PMMA cover: Diffuser /Transparent /Opal
Lighting source width: 12 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting



COVER



Trans: 19062
 Diffuser: 19064

END CAP



Hole: 19128
 WO hole: 19129

CLIP



19060

LUC3609BN


CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser:
 Lighting source width: 6 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting



COVER



Diffuser: 36094

END CAP



Hole: 36098
W/O hole: 36099

PMMA



LP36095

CLIP




36090

LUS1922AN / LUS1922BN

CE RoHS


IP20




Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC/ PMMA cover: Diffuser /Transparent /Opal
 Lighting source width: 16 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

LUS1922AN



LUS1922BN



COVER



Trans: 19222
Opal: 19223
Diffuser: 19224

END CAP



Trans: 1922B2
Opal: 1922B3
Diffuser: 1922B4



Hole: 1922B
W/O hole: 19229



Hole: 1922B8
W/O hole: 1922B9

LUC2323AN

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC/ PMMA cover: Diffuser /Transparent /Opal
 Lighting source width: 12 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting



COVER



Trans: 17072
 Opal: 17073
 Diffuser: 17074

END CAP



Hole: 23238
 W/O hole: 23239

CLIP



23230



LUC3528AN

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC/ PMMA cover: Diffuser /Transparent /Opal
 Lighting source width: 19 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting



COVER



Diffuser: 28284

END CAP



Hole: 35288
 W/O hole: 35289

CLIP




35255

LUO1712AN

CE RoHS IP20

FLEX PROFILE



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Lighting source width: 10 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

NEW PROFILE



LINEAR PROFILE

COVER



Diffuser: 17124

END CAP



Hole: 17128
WO hole: 17129

CONNECTOR



171201



171202



171203

LUC2033AN

CE RoHS IP20



ECO PROFILE



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Lighting source width: 16 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

WATERPROOF PROFILE



COVER



Diffuser: 20334

END CAP



Hole: 20338
WO hole: 20339

CLIP




20230

LUS4507AN

CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC/ PMMA cover: Diffuser /Transparent /Opal
 Lighting source width: 42 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting



COVER



Diffuser: 45174

END CAP




Hole: 45078
W/O hole: 45079

LUC2020AN

CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC/ PMMA cover: Diffuser /Transparent /Opal
 Lighting source width: 12 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting



COVER



Diffuser: 20204

END CAP



Hole: 20208
W/O hole: 20209

CLIP



20200

CONNECTOR



LP2020018



MAGNET
LP2020019



LUP3030AN

CE RoHS

IP20

■ Silver ■ Black □ White

Material: AL6063-T5
Surface: Anodized/ Painting
PC/ PMMA cover: Diffuser
Lighting source width: 21 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting



COVER



Diffuser: 30304

END CAP




Hole: 30308
WO hole: 30309

PENDANT



3030H
























When planning the new design or changes, toilets, sinks, countertops, and flooring are all important considerations. No matter what changes you make, there is one thing that you can do that take the look and feel, the whole experience, to a new level: incorporate LED lighting!



Not only LED suspended lights are brighter and clearer than other forms of lighting, they are also more energy efficient and cost efficient in public areas.

LINEAR PROFILE



FLEX PROFILE

NEW PROFILE

LINEAR PROFILE


LUS3535AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser (Smooth/ Streak)
 Power: 0-30W/m
 Lumens: 2100lm/m
 Lighting source width: 15 mm x2pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting



COVER



Smooth :35354
Streak :35355

END CAP



Hole:353581
W/O hole: 353581



Hole:353582
W/O hole: 353592

ECO PROFILE

WATERPROOF PROFILE


LUP5050AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Power: 0-40W/m
 Lumens: 3000lm/m
 Lighting source width: 13 mm x3pcs
 Available lengths: 0.5-3m



COVER



Smooth :50354

END CAP



Hole:50508
W/O hole: 50509



PENDANT



6070H

LUP3050AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser (Smooth/ Streak)
Power: 0-40W/m
Lumens: 3000lm/m
Lighting source width: 15 mm x2pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER



Smooth:35354
Streak:35355

END CAP



Hole:3050B
W/O hole: 3050D


PENDANT



3050H

LUP6070BL / LUP6070CL

CE RoHS IP20



LUP6070BL



LUP6070CL



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser
Power: 0-60W/m
Lumens: 5000lm/m
Lighting source width: 10 mm x5pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER



Smooth:6070B4



Smooth:6070C4

END CAP



Hole:6070B8
W/O hole: 6070B9



Hole:6070C8
W/O hole: 6070C9



PENDANT



6070H

LUP3890AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Power: 0-40W/m
 Lumens: 3000lm/m
 Lighting source width: 10 mm x3pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER



Smooth :38904

END CAP



Hole: 38908
W/O hole: 38909


PENDANT



6070H

LUP3890BL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Power: 0-40W/m
 Lumens: 3000lm/m
 Lighting source width: 10 mm x3pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER



Smooth :3890B4

END CAP



Hole: 3890B8
W/O hole: 3890B9




PENDANT



6070H

LUP4975AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Power: 0-40W/m
 Lumens: 3000lm/m
 Lighting source width: 8 mm x3pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER



Smooth :50354

END CAP



Hole :4975E
W/O hole: 4975F


PENDANT



6070H

LUS3030EL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Power: 0-30W/m
 Lumens: 2500lm/m
 Lighting source width: 10 mm x2pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER



Smooth :30854



END CAP



Hole: 3030EB
W/O hole: 3030EB

LUS4945AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Power: 0-50W/m
 Lumens: 4000lm/m
 Lighting source width: 10 mm x4pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER

END CAP




Smooth: 50354


 Hole: 49458
 W/O hole: 49459

LUS3085AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Power: Up:0-25W/m / Down:0-25W/m
 Lumens: Up:2000lm/m /Down:2000lm/m
 Lighting source width: Up:13 mm x2pcs / Down:13 mm x2pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER

END CAP





Smooth :30854


 Hole: 30858
 W/O hole: 30859

LUR6332AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser
Power: 0-50W/m
Lumens: 4000lm/m
Lighting source width: 10 mm x4pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER



Smooth :50354

END CAP



Hole: 63328
W/O hole: 63329


CLIP



4540S

LUR8090BL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser (Smooth/ Streak)
Power: 0-50W/m
Lumens: 4000lm/m
Lighting source width: 15 mm x3pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER



Streak :80354
Smooth :80355

END CAP



Hole: 80908
W/O hole: 80908S


CLIP



8090BS

LUR9240AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser (Smooth/ Streak)
 Power: 0-50W/m
 Lumens: 4000lm/m
 Lighting source width: 10 mm x4pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER



Streak: 80354
Smooth: 80355

END CAP



Hole: 92408
W/O hole: 92409


CLIP



92405

LUR3525AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Power: 0-30W/m
 Lumens: 2100lm/m
 Lighting source width: 10 mm x2pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER



Smooth: 23104

END CAP



Hole: 35258
W/O hole: 35259



CLIP



35255

LUO1046AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Transparent/Opal
 Power: 0-15W + 0-15W /m
 Lumens: 1000lm/m + 1000lm/m
 Lighting source width: 12 mm x2pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

COVER



Trans :LT10462
Opal:LT10463

END CAP





Trans :LT104621
Opal:LT104631



Hole:10468
W/O hole:10469

LUO6628AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Transparent /Opal
 Power: 0-15W/m
 Lumens: 1000lm/m
 Lighting source width: 12 mm x1pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting

END CAP




Transparent :17072
Opal :17073

PENDANT



Hole:66288
W/O hole:66289

LUO5528AL



Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Transparent /Opal
Power: 0-15W/m
Lumens: 1000lm/m
Lighting source width: 12 mm x1pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER END CAP




Transparent: 17072
Opal: 17073



Hole: 55288
W/O hole: 55289

LUO5528BL



Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Transparent /Opal
Power: 0-15W/m
Lumens: 1000lm/m
Lighting source width: 13 mm x1pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER END CAP



Transparent: 17072
Opal: 17073



Hole: 5528B8
W/O hole: 5528B9

FLEX PROFILE

NEW PROFILE


LINEAR PROFILE

ECO PROFILE

WATERPROOF PROFILE

LUP7272AL

CE RoHS IP20




FLEX PROFILE

NEW PROFILE

LINEAR PROFILE


ECO PROFILE

WATERPROOF PROFILE




Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser (Streak)
Power: 0-50W/m
Lumens: 4000lm/m
Lighting source width: 10 mm x4pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting



COVER **END CAP** **PENDANT**



LUP1880AL

CE RoHS

IP20



FLEX PROFILE

NEW PROFILE

LINEAR PROFILE

ECO PROFILE

WATERPROOF PROFILE



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser(Streak)
Power: 0-150W/m
Lumens: 12000lm/m
Lighting source width: 15 mm x10pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER



Streak:18804

END CAP




Hole:18808
W/O hole:18809

PENDANT



1880H



LUC3543AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser (Smooth/ Streak)
Power: 0-30W/m
Lumens: 2100lm/m
Lighting source width: 15 mm x2pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER

END CAP



Smooth :35354
Streak :35355

Hole:35438
W/O hole: 35439

LUS4335AL

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser
Power: 0-30W/m
Lumens: 2100lm/m
Lighting source width: 15 mm x2pcs
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting

COVER

END CAP



Smooth :50354

Hole:43358
W/O hole: 43359

FLEX PROFILE

NEW PROFILE

LINEAR PROFILE

ECO PROFILE































WATERPROOF PROFILE



When it comes to home interiors, the kitchen is one area that often takes center stage. So much of today's lifestyle takes place in the kitchen, so it is no wonder that kitchen is one of the most important rooms in the house when it comes to resale.

Kitchens that are functional, safe, efficient, modern, and offer plenty of room for storage and entertaining, are extremely desirable for home buyers.


ECO PROFILE




LUC1506AE



■ Silver ■ Black □ White



Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 11 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
Cabinet lighting/ Wardrobe lighting



COVER



Trans :15062
Opal : 15063
Diffuser : 15064




Trans :1506D2
Opal : 1506D3
Diffuser : 1506D4

END CAP



Hole :15068
W/O hole:15069

CLIP



15060

LUC1612DE



■ Silver ■ Black □ White



Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 11 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
Decorative design



COVER




Trans :1506D2
Opal : 1506D3
Diffuser : 1506D4

END CAP



Hole :16128
W/O hole:16129


CLIP



15060

LUC2212AE

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 11 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design

COVER



END CAP





CLIP



LUC1908AE

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 11 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design

COVER



END CAP




CLIP



LUO2626AE


CE RoHS

IP20



■ Silver ■ Black □ White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent
Lighting source width: 11 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
Decorative design



COVER



Trans :26262
Diffuser : 26264

END CAP




Hole:26268
WO hole :26269

LUO2711AE


CE RoHS

IP20



■ Silver ■ Black □ White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 12 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
Decorative design



COVER



Trans :27112
Opal :27113
Diffuser : 27114

END CAP




Hole:27116
WO hole:27119

LUO2621AE


CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 12 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
 Decorative design



COVER



Trans : 27112
 Opal : 27113
 Diffuser : 27114

END CAP



Hole: 26218
 W/O hole: 26219

LUO2335AE


CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 13 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
 Decorative design



END CAP



Hole: 23358
 W/O hole: 23359

LUO6009AE



CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 13 mm x3pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design



COVER



Trans : 30062
 Opal : 30063
 Diffuser : 30064

END CAP




Hole: 60098
 W/O hole: 60099

LUC1520AE

CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 11 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Cabinet lighting / Wardrobe lighting



COVER



Trans : 15202
 Opal : 15203
 Diffuser : 15204

END CAP



Hole: 15208
 W/O hole: 15209

CLIP



LP1506019

LUC2114AE / LUC2114BE



RoHS



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent
 Lighting source width: 8 mm x2pcs
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design



LUC2114AE



LUC2114BE

COVER



Trans :21142
Diffuser :21144



Trans :2114B2
Diffuser :2114B4

END CAP



Hole :21148
W/O hole :21149



Hole :2114B8
W/O hole :2114B9

CLIP



21140

LUS2618AE / LUS2618BE




RoHS




Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 22 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design



LUS2618AE



LUS2618BE

COVER



Trans :26182
Opal :26183
Diffuser :26184



Trans :2618B2
Opal :2618B3
Diffuser :2618B4

END CAP



Hole :26188
W/O hole :26189



Hole :2618B8
W/O hole :2618B9

LUR5210AE

CE RoHS IP20


FLEX PROFILE



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 22 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
 Decorative design

NEW PROFILE



COVER



Trans : 52102
 Opal : 52103
 Diffuser : 52104

END CAP



Hole: 52108
 W/O hole: 52109

CLIP



52105

LINEAR PROFILE

LUC2020AE

CE RoHS IP20


ECO PROFILE



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 12 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
 Decorative design

WATERPROOF PROFILE



COVER



Trans : 20202
 Opal : 20203
 Diffuser : 20204

END CAP



Hole: 20208
 W/O hole: 20209

OTHERS



2020019



15060



2020H


LUR2325AE

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 19 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design



COVER



Trans :23102
 Opal : 23103
 Diffuser : 23104

END CAP



Hole:23258
 W/O hole:23259


LUS2828AE

CE RoHS IP20



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 19 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design



COVER



Trans :28282
 Opal : 28283
 Diffuser : 28284

END CAP



Hole:28288
 W/O hole:28289

LUS2628AE

CE RoHS

IP20


FLEX PROFILE



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 19 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design

NEW PROFILE



COVER



Trans :28282
 Opal : 28283
 Diffuser : 28284

END CAP



Hole:26288
 W/O hole:26289

LINEAR PROFILE

LUS2019AE / LUS2019BE

CE RoHS

IP20


ECO PROFILE



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 15 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design

WATERPROOF PROFILE



LUS2019AE



LUS2019BE

COVER



Trans :20162
 Opal : 20163
 Diffuser : 20164

END CAP



Hole:20198
 W/O hole:20199



Trans :2016B2
 Opal : 2016B3
 Diffuser : 2016B4



Hole:2019B8
 W/O hole:2019B9

LUP2119AE/LUP2119BE/LUP2119CE



RoHS



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent/Opal
 Lighting source width: 16 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design

FLEX PROFILE

NEW PROFILE

LINEAR PROFILE

ECO PROFILE

WATERPROOF PROFILE



LUP2119AE

COVER



END CAP



CLIP



LUP2119BE



LUP2119CE



LUC3030AE / LUC3030BE




RoHS




Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser/Transparent
 Lighting source width: 20 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Indoor lighting
 Decorative design



LUC3030AE



LUC3030BE

COVER



END CAP




CLIP



LUC2310AE

CE RoHS IP20



■ Silver ■ Black □ White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 20 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
Decorative design

COVER



Trans : 23102
Opal : 23103
Diffuser : 23104

END CAP



Hole: 23108
W/O hole: 23109



CLIP



231002

LUO2513AE

CE RoHS IP20



■ Silver ■ Black □ White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 8 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
Decorative design

END CAP



Hole: 25138
W/O hole: 25139

OTHERS




SN001

LUS5555AE / LUS5555BE

CE RoHS

IP20



Silver
 Black
 White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser/Transparent/Opal
Lighting source width: 51 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Indoor lighting
 Decorative design



LUS5555BE



COVER



END CAP




FLEX PROFILE

NEW PROFILE

LINEAR PROFILE




ECO PROFILE

WATERPROOF PROFILE



Due to LUMO Aluminum Profiles high integrity and compact size, they are ideal for use in bathroom, shower, floor applications, Swimming pools or areas exposed to water. It is designed to achieve waterproof IP68 waterproof level.

WATERPROOF PROFILE



LUC2319AW / LUC2319BW

CE RoHS IP65

FLEX PROFILE



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Lighting source width: 20 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Outdoor lighting
 Decorative design

NEW PROFILE



COVER



END CAP



OTHERS



LINEAR PROFILE

LUC3031AW

CE RoHS IP65


ECO PROFILE



Silver
 Black
 White

Material: AL6063-T5
 Surface: Anodized/ Painting
 PC cover: Diffuser
 Lighting source width: 20 mm
 Available lengths: 0.5-3m
 Application: Commercial lighting / Outdoor lighting
 Decorative design

WATERPROOF PROFILE



COVER



END CAP



CLIP



HEAT SINK



LUO2020AW


CE RoHS

IP65



■ Silver ■ Black □ White

Material: AL6063-T5
Surface: Anodized/ Painting
PC cover: Diffuser
Lighting source width: 12 mm
Available lengths: 0.5-3m
Application: Commercial lighting / Outdoor lighting
Decorative design



COVER



Diffuser : 20204

END CAP



Hole:20208
W/O hole 20209


FLEX PROFILE

NEW PROFILE

LINEAR PROFILE

ECO PROFILE

WATERPROOF PROFILE



You might think about a fresh new coat of paint or some new landscaping features, however if you are looking for that WOW factor, or that jaw dropping 1st impression, consider adding LUMO's LED profiles to exterior paths, driveways, and parking areas, of your home or office.

→ ← 10 mm

LUMO FZE
Tel: +971(04) 880 89 20
Fax: +971(04) 880 89 21
P.O.Box: 263268, Dubai
Warehouse No. 01, Street.
No. N304, Road No. N300
Jebel Ali, Dubai U.A.E.
Web: www.lumo.ae
E-mail: info@lumo.ae

