LUMR8BLMS-BR01 / LUG4BLMS-BR01









Description

Our Lumo Brass mini mushroom Light is a tiny-modern fixture with a low height and clean lines to enhance the safety and beauty of walkways, gardens, patios and other spaces. This mini path light integrates well into any garden and blends well with other elements in the soft-scape. This solid brass fixture has a pre-aged polished antique bronze finish that maintains its beauty for a lifetime. Compatible with our low voltage system, this light can be used in the same circuit or line with our other low voltage lights. This light comes with a MR8 based lamp which is compatible with most of the dimming systems. (For more info, please contact us)

Color Finish





Electrical Features

| Lamp Type | WINO / G4 |
|-----------|--------------------------------|
| Class | III |
| Control | ON/OFF, Optional DALI Dimmable |

*Other control methods can be made as per order

Mechanical Features

| Installation | Spike in-ground / Floor with Bracket |
|----------------|--------------------------------------|
| Body Material | Brass |
| Stake Material | PVC |
| Diffuser | Tempered Clear Glass |
| IP rating | IP65 |
| Dimension | As per drawing |

PRODUCT ORDER INFORMATION

| Art. No. | Lamp Base | Color Finish | Body Material | IP Rating |
|----------------|-----------|---------------|---------------|-----------|
| LUMR8BLMS-BR01 | MR8 | Antique Brass | Brass | IP65 |
| LUG4BLMS-BR01 | G4 | Antique Brass | Brass | IP65 |

LUMR8BLMS-BR01 / LUG4BLMS-BR01



MR8 Lamp Option



LAMP ORDER INFORMATION

| Art. No. | Wattage (W) | Input (V) | Beam Angle | Color Temperature (CCT) | CRI | IP Rating |
|----------------|----------------|----------------|------------|----------------------------|-------|-----------|
| 01100112703006 | - | 2.5W 12V AC/DC | 30° | 2700K | - >80 | IP65 |
| 01100113003006 | | | | 3000K | | |
| 01100114003006 | - 2.5W | | | 4000K | | |
| 01100115003006 | | | | 5500K | | |

 $[\]ensuremath{^*}$ Standard Color Temperature is 2700K. Other CCT can be made as per order.

G4 Lamp Option



| G4 |
|------------|
| 310lm |
| 50,000 Hrs |
| Brass |
| PC Lens |
| Ø23xH38mm |
| |

LAMP ORDER INFORMATION

| Art. No. | Wattage (W) | Input (V) | Beam Angle | Color Temperature (CCT) | CRI | IP Rating |
|----------------|----------------|--------------|----------------|----------------------------|-------|-----------|
| 01400312736011 | - 4W 12V AC/U | 121/ 40/00 | 12V AC/DC 360° | 2700K | - >80 | IP65 |
| 01400313036011 | | | | 3000K | | |
| 01400314036011 | | 12V AC/DC | | 4000K | | |
| 01400315036011 | | | | 5500K | | |

^{*} Standard Color Temperature is 2700K. Other CCT can be made as per order.

LUMR8BLMS-BR01 / LUG4BLMS-BR01



Accessories













Application



Project Name: Private Villa , Emirates Hills , Dubai , U.A.E