


MR16 LAMP BASED UNDERWATER LIGHT




Description

Our Cast Brass Underwater, perfect for adding light to a pond or fountain. The solid brass construction makes it durable and long lasting. This Series uses a single MR16 Bulb and comes along with 5m cord to assure light can be extended as much as possible close to transformer out of water. This Series comes with swivel base so you can angle the light to where you want it projected most. This robust underwater light is a great choice for fountains and ponds but not meant for swimming pools. You can select the wattage of the lamp as per your application 5W or 7W both available in our stock.

Color Finish

 Antique Bronze (body)



Electrical Features

Lamp type	MR16
Lead wire length	1 meter
Class	III
Control	ON / OFF
*Other control methods (Dali / 0-10 / Phase dimming) can be made as per order	

Mechanical Features

Installation	Surface Mounted
Body Material	Die-cast Brass
Diffuser	Clear Tempered Glass
Ingress Protection	IP68
Impact Protection	IK08
Dimension	L115 x W100 x H119 mm

PRODUCT INFORMATION

Part. No.	Lamp Type	Color Finish	Body Material	IP Rating
LUMR16UW-BR01	MR16	Antique Bronze	Die-cast Brass	IP68

PRODUCT IMAGE VIEW



Lamp Option




Lamp type	GU5.3
Dimmability	Dimmable
Diffuser	PMMA Lens
IP Rating	IP65
Weight	0.085 kg
Dimensions	D 50mm x H 50mm


LAMP ORDER INFORMATION

Art. No.	Wattage (W)	Input (V)	Beam Angle	Color Temperature (CCT)	CRI	Lumen
01300112701003	5W	12V AC/DC	10°	2700K	90	293lm
01300113001003	5W	12V AC/DC	10°	3000K	90	303lm
01300112704503	5W	12V AC/DC	45°	2700K	90	300lm
01300113004503	5W	12V AC/DC	45°	3000K	90	312lm
01300112706003	5W	12V AC/DC	60°	2700K	90	306lm
01300113006003	5W	12V AC/DC	60°	3000K	90	318lm
01300212701003	7W	12V AC/DC	10°	2700K	90	408lm
01300213001003	7W	12V AC/DC	10°	3000K	90	424lm
01300212704503	7W	12V AC/DC	45°	2700K	90	420lm
01300213004503	7W	12V AC/DC	45°	3000K	90	437lm
01300212706003	7W	12V AC/DC	60°	2700K	90	428lm
01300213006003	7W	12V AC/DC	60°	3000K	90	446lm

Lamp Distribution



Accessories



Application

